

BBF Sterilisationsservice GmbH \* Willy-Rüsch-Straße 10/1 \* 71394 Kernen

**Operational Qualification** 

Co-60 Reload November 2023

[Unsere Zeichen/Unsere Nachricht vom] Co-60 Reload Nov. 2023/-

Telefon

Fax

Datum

(07151) 94570-10

(07151) 94570-19

2023-11-23

## Analysis of Dose-Mapping Studies Performed Before and After the Cobalt-60 Reload in November 2023

Before and after the Cobalt-60 reload of our irradiation facility in November 2023, several dose-mapping studies were performed to ascertain the continuous functionality of the irradiation plant. Both, before and after the Cobalt-60 reload, dose mapping studies were conducted on simulated product of three different densities: 0.04 g/cm³, 0.14 g/cm³ and 0.23 g/cm³. For each density, dose mappings were performed on five irradiation units (consisting of 2 standard boxes each). The dose mapping units were shaded exclusively by irradiation units of the same density to create a homogenous irradiation environment.

The evaluation is based on the ratios of the minimum dose to the reference dose in the reference measuring point (RMP) and of the maximum dose to the RMP dose.

The values of the five replicates of each density before and after reload were checked for differences using a t-test. It was confirmed that the dose quotients before and after reloading do not differ significantly.

This proves that the reloading was successfully completed and that the functionality of the irradiation plant as well as the irradiation field is well maintained. All existing dose mapping studies stay valid. There is no need for further product specific performance qualification.

Dr. Mathis Benedikter

(Dosimetry)

Julian Maier (Head of Sterilization)

Seite 1/3

Geschäftsführer Dr. Heinz Fischer Edda Kemmer Dr. Andrea Nolte-Karayel e-mail: bbf@steriXpert.de web: www.steriXpert.de The evaluation is based on the ratio of the minimum dose to the reference measuring point  $(AF_{min})$  or the maximum dose to the reference measuring point  $(AF_{max})$ .

$$AF_{min} = D_{min}/D_{mon}$$

$$AF_{max} = D_{max}/D_{mon}$$

 $D_{min}$  = dose minimum

D<sub>max</sub> = dose maximum

D<sub>mon</sub> = reference dose, measured at routine measuring position

## Dose ratios before and after <sup>60</sup>Co Reload 1.400 1.200 1.000 0.800 0.400 0.200 0.000 AFmin before AFmin after AFmax before AFmax after

## Dose ratios $AF_{\text{min}}$ and $AF_{\text{max}}$ as well as the results of the Student's t-test

	Low de	nsity (0.04	g/cm³)		
	<b>AF</b> <sub>min</sub>		<b>AF</b> <sub>max</sub>		
Replicate	before reload	after reload	before reload	after reload	
1	0.982	0.988	1.215	1.219	
2	0.997	0.986	1.249	1.218	
3	1.003	0.977	1.250	1.230	
4	0.997	0.997	1.231	1.229	
5	0.991	0.994	1.261	1.227	
Mean	0.994	0.988	1.241	1.225	
SD	0.008	0.008	0.018	0.006	
	Results of to	vo-tailed Stud	dent's t-test		
	AF <sub>min</sub>		AF <sub>max</sub>		
Variance	equal		unequal		
P-value	0.312		0.111		
significantly different?	No		No		
Medium density (0.14 g/cm³)					
AF <sub>min</sub>			AF <sub>max</sub>		
Replicate	before reload	after reload	before reload	after reload	
1	0.957	0.961	1.229	1.238	
2	0.980	0.951	1.259	1.228	
3	0.953	0.955	1.246	1.217	
4	0.963	0.980	1.250	1.237	
5	0.966	0.961	1.237	1.244	
Mean	0.964	0.962	1.244	1.233	
SD	0.010	0.011	0.012	0.011	
		vo-tailed Stud	Green and the second second		
	AFn	nin	AFn	ıax	
Variance	equal		equal		
P-value	0.783		0.139		
significantly different?	No No		No		
unierent	High de	nsity (0.23	a/cm³)		
	AF <sub>min</sub>			AF <sub>max</sub>	
Replicate	before reload	after reload	before reload	after reload	
1	0.952	0.982	1.271	1.279	
2	0.966	0.960	1.284	1.257	
3	0.966	0.956	1.289	1.276	
4	0.945	0.971	1.245	1.265	
5	0.945	0.971	1.247	1.254	
Mean	0.955	0.968	1.268	1.266	
SD	0.933	0.010	0.020	0.011	
OD		vo-tailed Stud		0.011	
AF <sub>min</sub>			AF <sub>max</sub>		
Variance	equal		equal		
P-value	0.079		0.909		
significantly					
different?	No		No		